

Notes to accompany Typical Highway Sections A, B & C

Traffic Lane width eleven (11) feet from Wetland Preserve to Anderson Lane.

Typical Highway Section A:

Sidewalk six (6) feet wide with eighteen (18) inch vertical curb, including engineered storm water drainage. Non-sidewalk shoulder width to vary with existing highway corridor.

Typical Highway Section A from Wetland Preserve to Firehouse Museum; sidewalk off-water side from Wetland Preserve to Moravia Street, sidewalk on-water side from Moravia Street to Firehouse Marina. Sidewalk off-water side from Cedar Street to Anderson Lane.

Typical Highway Section B:

Typical Highway Section B from Firehouse Museum to County Highway Q.

Minimum seven (7) foot wide parking spaces on-water side from Firehouse Museum to County Highway Q as currently located.

Uncurbed shoulder on both sides of traffic lanes, storm water drainage unchanged except where needed to eliminate pooling. Traffic Lane separation from at-grade walking path (located off Highway Right-of-way) minimum of six (6) feet.


Typical Highway Section C:

Typical Highway Section C from County Highway Q to Cedar Street.


Sidewalk six (6) feet wide with eighteen (18) inch vertical curb, including engineered storm water drainage. Non-sidewalk shoulder width to vary with existing highway corridor.

Minimum eight (8) foot wide parking spaces on-water side with adjacent six (6) foot wide sidewalk as currently located. Non-sidewalk shoulder width to vary with existing highway corridor.

Typical Hwy Sec A



Typical Hwy Sec B



Typical Hwy Sec C

